

Installing phpMyAdmin On Windows

phpMyAdmin is a popular, powerful web-based interface for administering MySQL databases. It is open source web application, written in PHP and published under the GNU General Public License. It is among the better tools available for administering MySQL databases.

Some History

Tobias Ratschiller started to work on a PHP3-based web front end to MySQL in 1998, inspired by Peter Kuppelwieser's MySQL-Webadmin. When he gave up the project in 2000 because of the lack of time, phpMyAdmin had already become the most popular PHP based MySQL administration tool with, a large community of users and contributors.

In order to coordinate the growing number of patches, a group of three developers, Olivier Müller, Marc Delisle and Loic Chapeaux, registered the phpMyAdmin Project at SourceForge and took over the development in 2001.

phpMyAdmin can be used to manage a single MySQL database or a whole dedicated MySQL Db server.

phpMyAdmin can:

- ❑ Create and Drop databases
- ❑ Create, Copy, Drop, Rename and Alter tables
- ❑ Do table maintenance
- ❑ Delete, Edit and Add fields
- ❑ Execute any SQL-statement
- ❑ Manage keys on fields
- ❑ Load text files into tables
- ❑ Create and read dumps of tables
- ❑ Manage MySQL users and privileges
- ❑ Using Query-by-example (QBE), create complex queries automatically connecting the required tables

- Create the graphical representation of Database layout as PDF file
- Support InnoDB tables and foreign keys
- Works in 50 different languages

Installation Process

Once the file, **phpMyAdmin-2.7.0-pl2.zip** is downloaded to the HDD, do the following to install phpMyAdmin:



phpMyAdmin requires **Apache**, **PHP** and **MySQL**. It is assumed that Apache, PHP and MySQL are already installed.

- Unzip the contents from the downloaded file using an unzip utility, (Winzip being an example). This will create a folder named **phpMyAdmin-2.7.0-pl1** with the files extracted held within it
- Create a folder **phpmyadmin** (all one word written in lowercase) under **<DirectoryName>\Apache2\htdocs**. Refer to diagram 1.1

According to this material the path where the **phpmyadmin** folder was created is:

/usr/local/apache2/htdocs/phpmyadmin




Diagram 1.1: Directory Structure of the phpmyadmin folder

INSTALLING phpMyAdmin ON WINDOWS

- ❑ Copy/Move the files extracted earlier from the folder **phpMyAdmin-2.7.0-pl2** to the folder **phpmyadmin** created under **C:\Program Files\Apache Group\Apache2\htdocs**. Refer to diagram 1.2. The **phpMyAdmin-2.7.0-pl2** folder can now be deleted to regain HDD space.

The screenshot shows a Windows File Explorer window. On the left is a tree view of the file system. The path selected is **Local Disk (C):\Program Files\Apache Group\Apache2\htdocs\phpmyadmin**. Inside this folder, there are several subfolders: **css**, **lang**, **libraries**, **scripts**, and **themes**. The **themes** folder contains a subfolder named **Contents of phpmyadmin folder**, which lists all the files copied over. The right pane is a detailed list of these files, showing their names, sizes, types, and last modified dates. The list includes numerous PHP files like **config.default.php**, **config.footer.inc.php**, **config.header.inc.php**, **config.inc.php**, **db_create.php**, **db_data dict.php**, **db_details.php**, **db_details_common.php**, **db_details_db_info.php**, **db_details_export.php**, **db_details_importdcsql.php**, **db_details_links.php**, **db_details_oibe.php**, **db_details_structure.php**, **db_operations.php**, **db_printview.php**, **db_search.php**, **docs.css**, **Documentation.html**, **Documentation.txt**, **export.php**, **footer.inc.php**, **header.inc.php**, and **header_printview.inc.php**. There are also other files like **ChangeLog**, **Changelog.php**, **chk_rel.php**, **CREDITS**, and **index.php**.

Name	Type	Date Modified
css	File Folder	8/23/2005 7:43 AM
lang	File Folder	8/23/2005 7:43 AM
libraries	File Folder	8/23/2005 7:44 AM
scripts	File Folder	8/23/2005 7:44 AM
themes	File Folder	8/23/2005 7:44 AM
Contents of phpmyadmin folder		
browse_foreigners.php	PHP File	11/9/2004 3:10 AM
calendar.php	PHP File	9/7/2004 12:15 AM
ChangeLog	File	7/4/2005 10:17 AM
Changelog.php	PHP File	6/23/2004 9:54 PM
chk_rel.php	PHP File	11/26/2003 10:22 AM
config.default.php	PHP File	7/4/2005 10:23 AM
config.footer.inc.php	PHP File	3/9/2004 4:37 AM
config.header.inc.php	PHP File	3/9/2004 4:37 AM
config.inc.php	PHP File	8/24/2005 2:06 PM
CREDITS	File	11/18/2003 2:50 AM
db_create.php	PHP File	4/16/2004 3:36 PM
db_data dict.php	PHP File	5/22/2005 5:39 AM
db_details.php	PHP File	3/7/2005 9:00 AM
db_details_common.php	PHP File	10/20/2004 10:48 PM
db_details_db_info.php	PHP File	7/13/2004 4:47 AM
db_details_export.php	PHP File	2/16/2005 3:35 AM
db_details_importdcsql.php	PHP File	10/7/2004 11:44 PM
db_details_links.php	PHP File	3/7/2005 2:40 AM
db_details_oibe.php	PHP File	10/20/2004 1:05 AM
db_details_structure.php	PHP File	6/4/2005 1:30 AM
db_operations.php	PHP File	7/2/2005 12:41 AM
db_printview.php	PHP File	5/22/2005 5:39 AM
db_search.php	PHP File	10/12/2004 9:38 AM
docs.css	Cascading Style Sh...	11/18/2003 2:50 AM
Documentation.html	HTML Document	7/4/2005 10:20 AM
Documentation.txt	Text Document	7/4/2005 10:23 AM
export.php	PHP File	5/17/2005 10:58 PM
footer.inc.php	PHP File	5/29/2005 12:34 PM
header.inc.php	PHP File	3/22/2005 11:21 PM
header_printview.inc.php	PHP File	1/23/2004 3:26 AM
index.php	PHP File	10/10/2004 5:55 AM

Diagram 1.2: Copied contents of phpMyAdmin 2.7.0-pl2 folder to phpmyadmin folder

- ❑ Open a browser and enter <http://localhost/phpmyadmin/index.php> in its address bar. Refer to diagram 1.3




Diagram 1.3: Welcome Screen for phpMyAdmin 2.7.0-pl2

- ❑ If PHP was installed and bound to Apache correctly then the **phpMyAdmin login page** will appear, but with an error. Refer to diagram 1.3
- ❑ Create file config.inc.php under the directory **C:\Program Files\Apache Group\Apache2\htdocs\phpmyadmin** and fill in the values for host, user, password and authentication mode to fit the appropriate environment. Therefore the file will finally have the following code:

```
<?php
$cfg['PmaAbsoluteUri'] = 'http://localhost/phpmyadmin/';
$cfg['blowfish_secret'] = 'holla';
$cfg['Servers'][$i]['host'] = 'localhost';
$cfg['Servers'][$i]['auth_type'] = 'cookie';
$cfg['Servers'][$i]['user'] = 'root';
$cfg['Servers'][$i]['password'] = 'sct2306';
?>
```

INSTALLING phpMyAdmin ON WINDOWS



Open the file **config.default.php** file available under C:\Program Files\Apache Group\Apache2\htdocs\phpMyAdmin\ and copy the definition of each of the field like the host, user, password, authentication mode, the path of phpMyAdmin installation directory and blowfish algorithm to encrypt the password. Then give the values for each of the field as shown in the above code.

- Now save and close the file **config.inc.php**.

Changes required in **php.ini** file

phpMyadmin requires the **php_mbstring.dll** extension to be enabled to run smoothly.



The **php_mbstring** module contains a dynamic shared object that will add support for multi-byte string handling to PHP, which is required by phpMyAdmin.

This can be done by uncommenting the following line in the **php.ini** file (found under C:\windows) (Refer to diagram 1.4)

```
extension=php_mbstring.dll
```

A screenshot of a Windows Notepad window titled "php - Notepad". The window shows the contents of a php.ini configuration file. The file includes several commented-out lines starting with ";" followed by the names of various PHP extensions. One line, "extension=php_mbstring.dll", is highlighted with a red selection bar, indicating it has been uncommented. The Notepad window has a standard Windows title bar and scroll bars.

```
; Be sure to appropriately set the
;extension_dir directive.

extension=php_mbstring.dll
;extension=php_bz2.dll
;extension=php_cpdf.dll
;extension=php_curl.dll
;extension=php_dba.dll
;extension=php_dbase.dll
;extension=php_dbx.dll
;extension=php_exif.dll
;extension=php_fdf.dll
;extension=php_filepro.dll
;extension=php_gd2.dll
;extension=php_gettext.dll
```

Diagram 1.4: Uncommenting the extension for mbstring.dll

This completes the phpMyAdmin installation on Windows.

- ❑ Reload the page in I.E. by keying in <http://localhost/phpmyadmin/index.php> in the Browser address bar. The **login page** of phpMyAdmin **without errors** now will appear. Refer to diagram 1.5



Diagram 1.5: phpMyAdmin login page

INSTALLING phpMyAdmin ON WINDOWS